

SAFETY DATA SHEET Loam Foam Concentrate

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Loam Foam Concentrate

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent.

Uses advised against Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier

Peaty's Ltd Rose Cottage Chorlton Lane Chorlton Malpas SY14 7ES

T: 07972 773 577 (08.30 - 17.00)

E: info@peatys.co.uk

1.4. Emergency telephone number

Emergency telephone OHES Environmental Ltd 24-7

Tel. 0333 333 9939 (24 hour)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318

Environmental hazards Not Classified

2.2. Label elements

Pictogram



Signal word Danger

Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage.

Loam Foam Concentrate

Precautionary statements P273 Avoid release to the environment.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/ attention.

Contains D-GLUCOPYRANOSE, OLIGOMERIC, C8-C10 GLYCOSIDES, TETRASODIUM ETHYLENE

DIAMINE TETRAACETATE, D-GLUCOPYRANOSE, OLIGOMERIC, C10-C16 -

ALKYLGLYCOSIDES, DISODIUM METASILICATE

Detergent labelling 5 - < 15% non-ionic surfactants, < 5% EDTA and salts thereof

Supplementary precautionary

P264 Wash contaminated skin thoroughly after handling.

statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P310 Immediately call a POISON CENTER/ doctor.
P321 Specific treatment (see medical advice on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

D-GLUCOPYRANOSE, OLIGOMERIC, C8-C10

GLYCOSIDES

CAS number: 68515-73-1 EC number: 500-220-1 REACH registration number: 01-

2119488530-36-0000

Classification

Eye Dam. 1 - H318

D-GLUCOPYRANOSE, OLIGOMERIC, C10-C16 -

1-5%

5-10%

ALKYLGLYCOSIDES

CAS number: 110615-47-9 EC number: 600-975-8 REACH registration number: 01-

2119489418-23-0000

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

1-5%

CAS number: 64-02-8 EC number: 200-573-9 REACH registration number: 01-

2119486762-27-0000

Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H332 Eye Dam. 1 - H318 STOT RE 2 - H373

Loam Foam Concentrate

DISODIUM METASILICATE 1-5%

CAS number: 6834-92-0 EC number: 229-912-9 REACH registration number: 01-

2119449811-37-0000

Classification Classification (67/548/EEC or 1999/45/EC)

Met. Corr. 1 - H290 C;R34 Xi;R37

Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical

personnel.

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms

are severe or persist.

Ingestion Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not

induce vomiting unless under the direction of medical personnel.

Skin contact Rinse with water.

Eye contact Rinse immediately with plenty of water. Do not rub eye. Remove contact lenses, if present

and easy to do. Continue rinsing. Continue to rinse for at least 15 minutes and get medical

attention.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation Vapours may irritate throat/respiratory system.

Ingestion May cause irritation.

Skin contact Redness. Irritating to skin.

Eye contact Causes serious eye damage. Symptoms following overexposure may include the following:

Pain. Profuse watering of the eyes. Redness.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry

powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Loam Foam Concentrate

Hazardous combustion products

Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting

Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material.

6.2. Environmental precautions

Environmental precautions

Avoid discharge to the aquatic environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. The contaminated absorbent may pose the same hazard as the spilled material. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.

Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Loam Foam Concentrate

Storage precautions Store away from incompatible materials (see Section 10). Keep out of the reach of children.

Keep away from food, drink and animal feeding stuffs. Store away from the following materials: Acids. Keep only in the original container. Keep container tightly closed, in a cool,

well ventilated place. Keep containers upright. Protect containers from damage.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

No information available.

D-GLUCOPYRANOSE, OLIGOMERIC, C8-C10 GLYCOSIDES (CAS: 68515-73-1)

DNEL Workers - Inhalation; Long term systemic effects: 420 mg/m³

Workers - Dermal; Long term systemic effects: 595000 mg/kg

General population - Inhalation; Long term systemic effects: 124 mg/m³ General population - Dermal; Long term systemic effects: 357000 mg/kg General population - Oral; Long term systemic effects: 35.7 mg/kg/day

PNEC - Fresh water; 0.176 mg/l

- Marine water; 0.018 mg/l - Intermittent release; 0.029 mg/l

- STP; 5000 mg/l

Sediment (Freshwater); 1.516 mg/kgSediment (Marinewater); 0.065 mg/kg

- Soil; 0.654 mg/kg

D-GLUCOPYRANOSE, OLIGOMERIC, C10-C16 - ALKYLGLYCOSIDES (CAS: 110615-47-9)

DNEL Workers - Inhalation; Long term systemic effects: 420 mg/m³

Workers - Dermal; Long term systemic effects: 595000 mg/kg

General population - Inhalation; Long term systemic effects: 124 mg/m³ General population - Dermal; Long term systemic effects: 357000 mg/kg General population - Oral; Long term systemic effects: 35.7 mg/kg/day

PNEC - Fresh water; 0.176 mg/l

Marine water; 0.018 mg/lIntermittent release; 0.029 mg/l

- STP; 5000 mg/l

Sediment (Freshwater); 1.516 mg/kgSediment (Marinewater); 0.065 mg/kg

- Soil; 0.654 mg/kg

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE (CAS: 64-02-8)

DNEL Workers - Inhalation; Long term local effects: 1.5 mg/m³

Workers - Inhalation; Short term local effects: 3 mg/m³

General population - Inhalation; Long term local effects: 0.6 mg/m³ General population - Inhalation; Short term local effects: 1.2 mg/m³ General population - Oral; Long term systemic effects: 25 mg/kg

Loam Foam Concentrate

PNEC - Fresh water; 2.2 mg/l

Marine water; 0.22 mg/lIntermittent release; 1.2 mg/l

- STP; 43 mg/l - Soil; 0.72 mg/kg

DISODIUM METASILICATE (CAS: 6834-92-0)

DNEL Workers - Inhalation; Long term systemic effects: 6.22 mg/m³

Workers - Dermal; Long term systemic effects: 1.49 mg/kg/day

General population - Inhalation; Long term systemic effects: 1.55 mg/m³ General population - Dermal; Long term systemic effects: 0.74 mg/kg/day General population - Oral; Long term systemic effects: 0.74 mg/kg/day

PNEC - Fresh water; 7.5 mg/l
- Marine water; 1 mg/l

- Intermittent release; 7.5 mg/m³

- STP; 1000 mg/l

8.2. Exposure controls

Protective equipment





Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Avoid contact with eyes. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

Wear protective gloves. Butyl rubber. Nitrile rubber. Thickness: ≥ 0.2 mm The selected gloves should have a breakthrough time of at least 4 hours. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.

Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures

Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

Respiratory protection

No specific recommendations. Provide adequate ventilation. Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140. Gas and combination filter cartridges should comply with European Standard EN14387. Particulate filters should comply with European Standard EN143. Powered filtering helmets or hoods should comply with European Standard EN12941. Disposable filtering half mask respirators should comply with European Standard EN149 or EN405.

Loam Foam Concentrate

Environmental exposure

controls

Keep container tightly sealed when not in use. Avoid release to the environment.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Coloured liquid.

Colour Blue. Odour Mint.

Odour threshold Not determined.

pН Aqueous solutions are basic.

Melting point Not applicable. Initial boiling point and range Not determined. Flash point Not applicable.

Evaporation rate Not determined.

Evaporation factor Not determined.

Flammability (solid, gas) Not applicable. Upper/lower flammability or Not applicable.

explosive limits

Other flammability Not applicable. Vapour pressure Not determined. Not determined. Vapour density Relative density Not determined. Not determined. **Bulk density** Solubility(ies) Soluble in water. Partition coefficient Not determined.

Auto-ignition temperature Not applicable. **Decomposition Temperature** Not determined.

Explosive properties Not applicable.

Explosive under the influence

of a flame

Viscosity

Not considered to be explosive.

Oxidising properties Does not meet the criteria for classification as oxidising.

Not determined.

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity The following materials may react with the product: Acids. Alkalis. Oxidising agents.

10.2. Chemical stability

Loam Foam Concentrate

Stable at normal ambient temperatures and when used as recommended. Stable under the

prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous

May generate heat.

reactions

10.4. Conditions to avoid

Conditions to avoid Avoid heat. Avoid freezing.

10.5. Incompatible materials

Materials to avoid Acids. Alkalis. Oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

Does not decompose when used and stored as recommended.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 12,500.0

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀)

Based on available data the classification criteria are not met.

ATE inhalation (vapours mg/l) 275.0

Skin corrosion/irritation

Animal data Irritating.

Extreme pH ≥ 11.5 Corrosive.

Serious eye damage/irritation

Serious eye damage/irritation Eye Dam. 1 - H318 Causes serious eye damage.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitroBased on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicityNone of the ingredients are listed or exempt.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Loam Foam Concentrate

Reproductive toxicity -

development

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposureNot classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure
Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation Vapours may irritate throat/respiratory system.

Ingestion May cause irritation.

Skin contact Redness. Irritating to skin.

Eye contact Causes serious eye damage. Symptoms following overexposure may include the following:

Pain. Profuse watering of the eyes. Redness.

Route of entry Ingestion Inhalation Skin and/or eye contact

Target organs No specific target organs known.

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

Toxicological effects The toxicity of this substance has been assessed during REACH registration.

Acute toxicity - oral

Notes (oral LD₅o 1780<2000 mg/kg, Oral, Rat REACH dossier information.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met. REACH dossier

information.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Read-across data. REACH dossier information.

ATE inhalation (vapours

mg/l)

11.0

Skin corrosion/irritation

Skin corrosion/irritation Not corrosive to skin., REACH dossier information.

Serious eye damage/irritation

Serious eye

Causes serious eye damage. REACH dossier information.

damage/irritation

Skin sensitisation

Skin sensitisation Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. REACH dossier

information.

Germ cell mutagenicity

Genotoxicity - in vitroGene mutation: Negative.

Loam Foam Concentrate

Genotoxicity - in vivo Micronucleus assay: Negative.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met. REACH dossier

information.

Reproductive toxicity

Reproductive toxicity -

Based on available data the classification criteria are not met. REACH dossier

fertility information.

Specific target organ toxicity - single exposure

STOT - single exposure No information available. REACH dossier information.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Read-across data. REACH dossier information.

Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard, based on chemical structure.

Inhalation Harmful by inhalation.

Ingestion Harmful if swallowed. Nausea, vomiting. Stomach pain.

Skin contact May cause irritation.

Eye contact Causes serious eye damage.

DISODIUM METASILICATE

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ 770-820 mg/kg, Oral, Rat

Inhalation May cause respiratory irritation.

Ingestion May cause irritation. May cause stomach pain or vomiting.

Skin contact This product is corrosive. Causes severe burns.

Eye contact Corrosive. Causes severe skin burns and eye damage.

BENZOTRIAZOLE

Acute toxicity - oral

ATE oral (mg/kg) 500.0

Trans menthone

Acute toxicity - oral

ATE oral (mg/kg) 500.0

SECTION 12: Ecological Information

Ecotoxicity The product may affect the acidity (pH) of water which may have hazardous effects on aquatic

organisms.

12.1. Toxicity

Loam Foam Concentrate

Toxicity Based on available data the classification criteria are not met.

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria

as laid down in Regulation (EC) No. 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential Bioaccumulation is unlikely.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems. The product is non-volatile.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible. Reuse or recycle

products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product

residues and hence be potentially hazardous.

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not classified.

14.2. UN proper shipping name

Not classified.

14.3. Transport hazard class(es)

Not classified.

14.4. Packing group

Not classified.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Loam Foam Concentrate

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Health and Safety at Work etc. Act 1974 (as amended). National regulations

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EH40/2005 Workplace exposure limits.

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March

2004 on detergents (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Inventories

EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways.

RID: European Agreement concerning the International Carriage of Dangerous Goods by

IATA: International Air Transport Association.

ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IMDG: International Maritime Dangerous Goods.

CAS: Chemical Abstracts Service.

ATE: Acute Toxicity Estimate.

LC₅o: Lethal Concentration to 50 % of a test population.

LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).

EC50: 50% of maximal Effective Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance.

vPvB: Very Persistent and Very Bioaccumulative.

Classification abbreviations

and acronyms

Eye Dam. = Serious eye damage

Skin Irrit. = Skin irritation

Key literature references and

sources for data

ECHA website. Raw material safety data sheets.

Loam Foam Concentrate

Classification procedures according to Regulation (EC)

Eye Dam. 1 - H318: Skin Irrit. 2 - H315: : Calculation method.

1272/2008

Training advice Read and follow manufacturer's recommendations.

Revision date 26/04/2018

Revision 1

SDS number 21707

Hazard statements in full H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.